

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S160	1	(compar\$3 match\$3) near5 (data information) near5 sequenc\$3 same (load work) near5 balanc\$3 and (@ad<"20031022" @pd<"20031022" @rlad<"20031022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17
S161	265	(compar\$3 match\$3) near5 (data information) same (load work) near5 balanc\$3 and (@ad<"20031022" @pd<"20031022" @rlad<"20031022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17
S162	23	(compar\$3 match\$3) near5 dna and (load work) near5 balanc\$3 and (@ad<"20031022" @pd<"20031022" @rlad<"20031022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17
S163	21008	blast near5 search	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17

S164	16569	(blast near5 search\$3) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17
S165	1056	(blast near5 search\$3) same biolog\$4 and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17
S166	277	(blast near5 search\$3) near10 biolog\$4 and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17
S167	1	(blast near5 search\$3) near10 biolog\$4 and (@ad<"20021022" @pd<"20021022" @rlad<"20021022") and "707".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17
S168	276	(blast near5 search\$3) near10 compar\$4 near10 (database (data adj base) repositor\$3) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17

S169	31	(blast near5 search\$3) near10 compar\$4 near10 (database (data adj base) repositor\$3) same (exist\$3 redundan\$3) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17
S170	15	(blast near5 search\$3) near10 compar\$4 near10 (database (data adj base) repositor\$3) same (redundan \$3) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17
S171	173	(check\$3 determin\$3 determination identif\$3) near5 (database (data adj base) repositor\$3) near5 (redundan\$2) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17

S172	97	(check\$3 determin\$3 determination identif\$3) near5 (database (data adj base) repositor\$3) near5 (redundan\$2) same (biolog\$4 dna sequenc\$3) and (@ad<"20021022" @pd<"20021022" @riad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17
S173	3	(check\$3 determin\$3 determination identif\$3) near5 (database (data adj base) repositor\$3) near5 (redundan\$2) same (biolog\$4 dna sequenc\$3) same (deposit \$3 archiv\$3) and (@ad<"20021022" @pd<"20021022" @riad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17
S174	2	(blast near5 search\$3) near10 biolog\$4 and (mirror \$3 near5 (database (data adj base) repositor\$3)) and (@ad<"20021022" @pd<"20021022" @riad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17

S175	8	(mirror\$3 near5 (database (data adj base) repositor\$3)) and 702/19.ccls. and (@ad<"20021022" @pd<"20021022" @rlad<"20021022"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17
S176	3	(mirror\$3 near5 (search\$3 updat\$3)) and 702/19.ccls. and (@ad<"20021022" @pd<"20021022" @rlad<"20021022"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17
S177	1	(planaria near5 (database (data adj base)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17
S178	2	(planarian near5 (database (data adj base)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17
S179	121	(planaria\$1 and (database (data adj base)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17

S180	75	(planaria\$1 and (database (data adj base))) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17
S181	1	"20020102604"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17
S182	922	(blast near5 (search\$3 quer \$4)) same (interval dynamic \$4 period periodically) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17
S183	3	updat\$4 same (blast near5 (search\$3 quer\$4)) same (automatic\$4 interval dynamic \$4 period periodically) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17
S184	19	(blast near5 (search\$3 quer \$4)) same (interval dynamic \$4 period periodically) and 702/19.ccls. and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17

S185	37	(blast near5 (search\$3 quer \$4)) same (interval dynamic \$4 period periodically) and "702".clas. and (@ad<"20021022" @pd<"20021022" @rlad<"20021022"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17
S186	18	S185 not S184	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17
S187	11	(blast near5 (search\$3 quer \$4)) same (interval dynamic \$4 period periodically) and "707".clas. and (@ad<"20021022" @pd<"20021022" @rlad<"20021022"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17
S188	18	(blast near5 (search\$3 quer \$4)) near10 (interval dynamic \$4 period periodically) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17

S189	5	(updat\$4 repeat\$3 loop\$3) with (blast near5 (search\$3 quer\$4)) with (automatic\$4 interval dynamic\$4 period periodically) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17
S190	3892	(updat\$4 repeat\$3 loop\$3) with ((search\$3 quer\$4)) with (automatic\$4 interval dynamic \$4 period periodically) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17
S191	398	(updat\$4 repeat\$3 loop\$3) with ((search\$3 quer\$4)) with (automatic\$4 interval dynamic \$4 period periodically) and 707/3.ccls. and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17



S192	15	(divi\$4 partition\$3) near5 (remain\$3 unfinished undone incomplete) near5 (job queue) and (load work) near5 balanc\$3 and (@ad<"20031022" @pd<"20031022" @rlad<"20031022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17
S193	21	(divi\$4 partition\$3) near5 (search\$3 quer\$5) same (load work) near5 balanc\$3 and (@ad<"20031022" @pd<"20031022" @rlad<"20031022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17
S194	40	(divi\$4 partition\$3) near5 (search\$3 quer\$5) and (biolog \$4 dna) and (load work) near5 balanc\$3 and (@ad<"20031022" @pd<"20031022" @rlad<"20031022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17
S195	5	("2001/0053957").URPN.	USPAT	OR	ON	2009/04/08 14:17
S196	40	(divi\$4 partition\$3) near5 (search\$3 quer\$5) and (biolog \$4 dna) and (load work) near5 balanc\$3 and (@ad<"20031022" @pd<"20031022" @rlad<"20031022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17

S197	5	("5577249"   "5706498"   "5862325"   "5970500"   "6303297").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17
S198	42	(blast) near5 (search\$3 quer\$4 compar\$4) and (load work) near5 balanc\$3 and (@ad<"20031022" @pd<"20031022" @rlad<"20031022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17
S199	15	(add\$3 insert\$3 input\$4 register\$3 cop\$4) near5 (record entry) same (check\$3 detect\$3 identif\$4) near5 (duplicat\$3 redundan\$2 exist\$3) near5 (database (data adj base)) and (dna biolog\$4 bioinformation biotech\$6 protein gene) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17

S200	10	(add\$3 insert\$3 input\$4 register\$3 cop\$4) near5 (record entry) same (check\$3 detect\$3 identif\$4) near5 (duplicat\$3 redundan\$2 exist \$2) near5 (database (data adj base)) and (dna biolog\$4 bioinformation biotech\$6 protein gene) and (@ad<"20021022" @pd<"20021022" @riad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17
S201	59	(add\$3 insert\$3 input\$4 register\$3 cop\$4) near5 (record entry) same (check\$3 detect\$3 identif\$4) near5 (duplicat\$3 redundan\$2 exist \$2) near5 (database (data adj base)) and (@ad<"20021022" @pd<"20021022" @riad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17
S202	8	("5900871" "5907326" "5678039" "5944790" "5664206" "5579223" "6349275" "6567973").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17

S203	1	"6163785".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17
S204	11	(US-20010049676-\$ or US-20030217078-\$ or US-20030133556-\$ or US-20020194173-\$ or US-20030036857-\$ or US-20030125315-\$).did. or (US-7231390-\$ or US-5852715-\$ or US-6351753-\$ or US-5471622-\$ or US-6343275-\$).did.	US-PGPUB; USPAT	OR	ON	2009/04/08 14:17
S205	1	10/532198	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:47
S206	10	(federat\$3 near5 (search\$3 quer\$4)) and (database (data adj base)) near5 (dna biolog \$4 bioinformation biotech\$6 protein gene) and (@ad<"20021022"@pd<"20021022"@rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:49

S208	2	(period\$6 interval\$2) near5 updat\$3 near5 result same (dna biolog\$4 bioinformation biotech\$6 protein gene) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 15:43
S209	5	(period\$6 interval\$2) near5 updat\$3 same blast and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 15:44
S210	166	(period\$6 interval\$2) near5 updat\$3 and blast near5 (search\$3 quer\$4 result) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 15:45
S213	783	(period\$6 interval\$2) same blast near5 (search\$3 quer\$4 result) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 15:46
S214	11	S213 and input near5 sequence	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 15:46

S215	2	(period\$6 interval\$2) near5 updat\$3 near5 (stored archived saved) near5 (search \$3 quer\$4) near5 result and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 15:51
S216	2	(period\$6 interval\$2) same updat\$3 near5 (stored archived saved) near5 (search \$3 quer\$4) near5 result and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 15:58
S217	144	(period\$6 interval\$2) same updat\$3 near5 (stored archived saved) near5 result and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 15:59
S218	2	S217 and 707/3.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 15:59
S219	30	S217 and ("707" "705" "709" "715" "702").clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 16:00

S220	70	(period\$6 interval\$2) near10 blast near5 (search\$3 quer\$4 result) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 16:06
S222	22	S210 and ("707" "705" "709" "715" "702").clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 16:07
S223	15	(period\$6 interval\$2) near10 updat\$3 near5 version near5 (database (data adj base)) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/09 10:16
S224	21	(period\$6 interval\$2) near10 updat\$3 same (database (data adj base)) near5 (dna biolog\$4 bioinformation biotech\$6 protein gene) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/09 10:20

S225	275	(period\$6 interval\$2) near10 updat\$3 same (plural\$3 multiple) near5 (database (data adj base)) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/09 10:26
S226	5	S225 and "702".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/09 10:27
S227	33	(period\$6 interval\$2 daily monthly quarterly) near10 updat\$3 same (plural\$3 multiple) near5 (database (data adj base)) and (period \$6 interval\$2 daily monthly quarterly) near5 (quer\$3 search\$3) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/09 10:31



S228	50	(period\$6 interval\$2 daily monthly quarterly) near10 updat\$3 near5 (plural\$3 multiple) near5 (database (data adj base)) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/09 10:39
S229	35	(period\$6 interval\$2 daily monthly quarterly) same updat\$3 same (current latest) near5 version near5 (database (data adj base)) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/09 10:45
S230	31	(period\$6 interval\$2 daily monthly quarterly) same (determin\$5 check\$3 identif \$4) same (current latest) near5 version near5 (database (data adj base)) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/09 10:51

S231	29	(period\$6 interval\$2) and (updat\$3 determin\$5 check\$3 identif\$4) near5 version same (database (data adj base)) near5 (dna biolog\$4 bioinformation biotech\$6 protein gene) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/09 10:57
S232	15	(US-20070027630-\$ or US- 20030125315-\$ or US- 20030055683-\$ or US- 20030217078-\$ or US- 20010049676-\$ or US- 20020194173-\$).did. or (US- 6920396-\$ or US-7231390-\$ or US-6370560-\$ or US- 6691109-\$ or US-5852715-\$ or US-5471622-\$ or US- 6351753-\$ or US-6343275-\$ or US-5859972-\$).did.	US-PGPUB; USPAT	OR	ON	2009/04/09 11:01
S233	5	(period\$6 interval\$2) near10 updat\$3 and S232	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/09 11:01

S234	1511537	S232 and cdna and expressed sequence tag and pharma\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/09 13:16
S235	1	S232 and cdna and expressed near5 sequence near5 tag	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/09 13:17
S236	528	(quer\$4 search\$3) near5 result and cdna and expressed near5 sequence near5 tag and pharma\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/09 13:18
S237	2	(quer\$4 search\$3) near5 result and cdna same expressed near5 sequence near5 tag same pharma\$6 and (@ad<"20021022" @pd<"20021022" @riad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/09 13:18
S238	11	(quer\$4 search\$3) near5 result same cdna same expressed near5 sequence near5 tag and pharma\$6 and (@ad<"20021022" @pd<"20021022" @riad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/09 13:22

S239	726	(period\$5 daily monthly quarterly yearly annually) near5 (quer\$4 search\$3) near5 (result database (data adj base)) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/09 13:24
S240	29	S239 and (blast tblast) near5 (search\$3 quer\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/09 13:25
S241	185	(period\$5 daily monthly quarterly yearly annually) same updat\$3 near5 (quer\$4 search\$3) near5 (result database (data adj base)) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/09 13:33
S242	6	(period\$5 daily monthly quarterly yearly annually) same updat\$3 near5 (blast tblast) near5 result and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/09 13:43

S243	15	(US-20070027630-\$ or US-20030125315-\$ or US-20030055683-\$ or US-20030217078-\$ or US-20010049676-\$ or US-20020194173-\$).did. or (US-6920396-\$ or US-7231390-\$ or US-6370560-\$ or US-6691109-\$ or US-5852715-\$ or US-5471622-\$ or US-6351753-\$ or US-6343275-\$ or US-5859972-\$).did.	US-PGPUB; USPAT	OR	ON	2009/04/09 14:02
S244	1	S243 and cdna and expressed near5 sequence near5 tag	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/09 14:02
S245	129	(quer\$4 search\$3) near5 result same cdna and expressed near5 sequence near5 tag and (@ad<"20021022"@pd<"20021022"@rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/09 14:03
S246	12	S245 and pharmacology	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/09 14:03

S247	480	(blast tblast) near5 result same cdna and expressed near5 sequence near5 tag and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/09 14:04
S248	18	S247 and pharmacology	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/09 14:04
S249	67	S245 and pharma\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/09 15:09

4/ 9/ 2009 4:01:58 PM

C:\ Documents and Settings\ shoang\ My Documents\ EAST\ Workspaces\ son\_10\_532\_198\_case.  
wsp